



MSDS

P.O. Box 329 - 802 Washington Avenue Chestertown, MD 21620 - USA

MATERIAL SAFETY DATA SHEET

TELEPHONE # FOR INFORMATION 410 778-3100

24 HOUR EMERGENCY NUMBER (CHEM-TEL): USA, Canada, Puerto Rico 800-255-3924;

Outside North American Continent 813-248-0585 (call Collect)

1. Product Identification

Product Code: 4485

Product Description: Hardness Reagent #6

Manufactured By: LaMotte Company

802 Washington Avenue

Chestertown, MD 21620

2. Composition/Information On Ingredients

Hazard	CAS#/Name	%	PEL	TLV
Yes	64-17-5 Ethanol	80	1000ppm TWA (1900 mg/m ³)	1000 ppm TWA
Yes	67-56-1 Methanol	4	200ppm TWA (260 mg/m ³)	200 ppm TWA
Yes	3147-14-6 Calmagite	0.1	None Established	None Established
No	7732-18-5 Water	to 100%	None Established	None Established

3. Hazards Overview

Primary Route Of Entry: Skin Ingestion Inhalation

Poison! Danger! Flammable liquid & vapor! Harmful if swallowed, inhaled, or absorbed through skin. Ingestion may be fatal or cause blindness. Inhalation can cause headache, nausea. Affects central nervous system. May cause irritation to eyes and skin.

HMIS Hazard

Scale: 4 = Extreme, 3 = High, 2 = Moderate, 1 = Slight, 0 = Least

Health: 2 Flammability: 3 Reactivity: 2

Carcinogenicity: None:

Other Health Related Comments:

Product Code: 4485

Product Description: Hardness Reagent #6

4. First Aid Measures

Eye Contact: Flush with water for 15 minutes. Consult physician.

Skin Contact: Rinse skin. Wash with soap and water.

Ingestion: Do not induce vomiting. Drink water. Call a physician immediately.

Inhalation: Remove to fresh air.

5. Fire Fighting Measures

Flash Point (Method Used): ca.22 deg C-closedcup **LEL:** 3.3% **UEL:** 19%

Extinguishing Media: Dry chemical, CO2, or water spray

Special Fire Fighting Procedures: N/A

Unusual Fire & Explosion Hazard: Vapors may flow along floor to ignition source and flash back.

6. Accidental Release Measures

Eliminate all sources of ignition. Absorb on paper. Evaporate on iron pan in hood.

7. Handling & Storage

Store in cool, dry, ventilated area away from incompatible materials. Do not use near heat or flame.

8. Exposure Controls/Personal Protection

Ventilation

Mechanical

Protection When Handling

Gloves Eye Protection Lab Coat

Work/Hygenic Practices: Use with adequate ventilation and avoid contact with skin.

9. Physical & Chemical Properties

Appearance: Dark Purple Liquid

Solubility In Water: Soluble

Odor: Alcohol

pH: N/A

Vapor Density: 1.6 (Air=1)

Vapor Pressure: ca.40 mm Hg @ 20 deg C

Boiling Point: ca. 80 deg C

Melting Point: N/A

10. Stability & Reactivity

Stable: Yes

Conditions To Avoid: Heat, sources of ignition

Incompatibility (Materials To Avoid): Strong acids, strong oxidizers

Hazardous Decomposition Products: COx

11. Toxicological Information

oral human LDLo: 1400 mg/kg for ethanol, 143 mg/kg for methanol

Target Organs: Central Nervous System

Product Code: 4485

Product Description: Hardness Reagent #6

12. Ecological Information

Information Not Yet Available

13. Disposal Considerations

Small quantity: Flush down drain with excess water. Large quantity: Atomize into an incinerator. Dispose according to federal, state and local regulations.

14. Transportation Information

Proper Shipping Name:

DOT: ETHANOL

IATA: ETHANOL

Hazard Class/Div:

DOT: 3

IATA: 3

UN: 1170

Packing Group: II

15. Regulatory Information

Chemical Inventory Status

Hazard	Ingredient	USA	Europe	--- Canada ---		Australia	Japan
		TSCA	EC	DSL	NDSL		
Yes	64-17-5 Ethanol	Yes	Yes	Yes	No	Yes	Yes
Yes	67-56-1 Methyl Alcohol	Yes	Yes	Yes	No	Yes	Yes
Yes	3147-14-6 Calmagite	Yes	Yes	Yes	No	Yes	No
No	7732-18-5 Distilled Water	Yes	Yes	Yes	No	Yes	Yes

Federal, State, & International Regulations

Ingredient	--- SARA 302 ---		----- SARA 313 -----		CERCLA	RCRA 261.33	TSCA 8(D)
	RQ	TPQ	Listed	Chemical Category			
64-17-5 Ethanol	No	No	No	No	No	No	No
67-56-1 Methyl Alcohol	No	No	Yes	Toxic Pollutant	5000	U154	No
3147-14-6 Calmagite	No	No	No	No	No	No	No
7732-18-5 Distilled Water	No	No	No	No	No	No	No

Product Code: 4485

Product Description: Hardness Reagent #6

--- SARA 311/312 ---

----- Australia -----

Hazard Categories

Hazchem

Poison

This MSDS Is

Ingredient **Acute** **Chronic** **Fire** **Pressure** **Reactivity** **Code** **Schedule** **WHMIS Compliant**

64-17-5 Yes Yes Yes No No None Allocated None Allocated
Ethanol

67-56-1 Yes Yes Yes No No 2PE S6
Methyl Alcohol

3147-14-6 No No No No No None Allocated None Allocated
Calmagite

7732-18-5 No No No No No None Allocated None Allocated
Distilled Water

product 4485 Yes Yes Yes No No 2[S]E S5 Yes
as a whole

16. Other Information

NFPA rating for Ethyl Alcohol SDA 3A 200 proof: 1-3-0

Prepared By: Regulatory Affairs Department

Revised: 9/7/2006
